



Product Details
La Linia Lighting



LA LINIA LIGHTING

Product details






Zoet of Zout



RING OF LIGHT

ALUMINIUM ECORA SERIES

ECORA (Profile 1)



ECORA SLIM (Profile 2)



RING OF LIGHT

ALUMINIUM ECORA SERIES

RING Product details Direct

Dianeter	Profile 1	Profile 2	LED power in Watt	Lumen	CRI
500mm	40x60h	24x60h	20	2.700	>90+
600mm	40x60h	24x60h	26	3.510	>90+
700mm	40x60h	24x60h	31	4.185	>90+
800mm	40x60h	24x60h	35	4.725	>90+
900mm	40x60h	24x60h	40	5.400	>90+
1000mm	40x60h	24x60h	44	5.940	>90+
1200 mm	40x60h	24x60h	53	7155	>90+
1400mm	40x60h	24x60h	62	8.370	>90+
1500mm	40x60h	24x60h	66	8.910	>90+
1600mm	40x60h	24x60h	70	9.450	>90+
1800mm	40x60h	24x60h	80	10.800	>90+
2000mm	40x60h	24x60h	90	12.150	>90+
2200mm	40x60h	24x60h	99	13.365	>90+
2400mm	40x60h	24x60h	110	14.850	>90+
3000mm	40x60h	24x60h	120	16.200	>90+
3500mm	40x60h	24x60h	140	18.900	>90+
4000mm	40x60h	24x60h	160	21.600	>90+
5000mm	40x60h	24x60h	200	27.000	>90+

Customizations & Accessories

Available Lightcolors 2200K, 2700K,3000K,4000K & RGBW
Dimmable Mi-Light, Casambi, Dali, Triac
Direct/indirect Direct (indirect optional)



The Ecora Series is also available in custom shapes

RING OF LIGHT

ALUMINIUM ECORA SERIES


RING Product details Direct/Indirect

Diameter	Profile 1	Profile 2	LED power in Watt	Lumen	CRI
500mm	40x60h	24x60h	20W direct + 18W indirect	2.700 direct + 2.430 indirect	>90+
600mm	40x60h	24x60h	26W direct + 23W indirect	3.510 direct + 3.595 indirect	>90+
700mm	40x60h	24x60h	31W direct + 28W indirect	4.185 direct + 3.780 indirect	>90+
800mm	40x60h	24x60h	35W direct + 31W indirect	4.725 direct + 4.185 indirect	>90+
900mm	40x60h	24x60h	40W direct + 36W indirect	5.400 direct + 4.860 indirect	>90+
1000mm	40x60h	24x60h	44W direct + 39W indirect	5.940 direct + 5.265 indirect	>90+
1200 mm	40x60h	24x60h	53W direct + 48W indirect	7.155 direct + 6.345 indirect	>90+
1400mm	40x60h	24x60h	62W direct +56W indirect	8.370 direct + 7.560 indirect	>90+
1500mm	40x60h	24x60h	66W direct + 60W indirect	8.910 direct + 8.100 indirect	>90+
1600mm	40x60h	24x60h	70W direct + 63W indirect	9.450 direct + 8.505 indirect	>90+
1800mm	40x60h	24x60h	80W direct + 72W indirect	10.800 direct + 9.720 indirect	>90+
2000mm	40x60h	24x60h	90W direct + 80W indirect	12.150 direct + 10.800 indirect	>90+
2200mm	40x60h	24x60h	99W direct + 90W indirect	13.365 direct + 12.015 indirect	>90+
2400mm	40x60h	24x60h	110W direct + 100W indirect	14.850 direct + 13.500 indirect	>90+
3000mm	40x60h	24x60h	120W Direct + 110W indirect	16.200 direct + 14.850 indirect	>90+
3500mm	40x60h	24x60h	140W Direct + 130W indirect	18.900 direct + 17.550 indirect	>90+
4000mm	40x60h	24x60h	160W Direct + 150W indirect	21.600 direct + 20.250 indirect	>90+
5000mm	40x60h	24x60h	200W Direct + 180W indirect	27.000 direct + 24.300 indirect	>90+

Customizations & Accessories

Available Lightcolors
Dimmable

2200K, 2700K,3000K,4000K & RGBW
Mi-Light, Casambi, Dali, Triac



The Ecora Series is also available in custom shapes

RING OF LIGHT

ALUMINIUM ECORA SERIES

OVAL Product details Direct

Dimensions (mm)	Profile 1	Profile 2	LED power in Watt	Lumen	CRI
800x300	40x60h	24x60h	24	3.240	>90+
1000x300	40x60h	24x60h	29	3.915	>90+
1200x400	40x60h	24x60h	35	4.725	>90+
2000x500	40x60h	24x60h	56	7.560	>90+
2500x600	40x60h	24x60h	70	9.450	>90+
3000x700	40x60h	24x60h	84	11.340	>90+

Customizations & Accessories

Available Lightcolors 2200K, 2700K,3000K,4000K & RGBW
Dimmable Mi-Light, Casambi, Dali, Triac




The Ecora Series is also available in custom shapes

RING OF LIGHT

ALUMINIUM SERIES

FINALIS (Profile 1)



Product details

Diameter	Profile 1	LED power in Watt	Lumen	CRI
400mm	33x37h	15	2.025	>90+
500mm	33x37h	20	2.700	>90+
600mm	33x37h	26	3.510	>90+
700mm	33x37h	31	4.185	>90+
800mm	33x37h	35	4.725	>90+
900mm	33x37h	40	5.400	>90+
1000mm	33x37h	44	5.940	>90+
1200 mm	33x37h	53	7.155	>90+
1400mm	33x37h	62	8.370	>90+
1500mm	33x37h	66	8.910	>90+
1600mm	33x37h	70	9.450	>90+
1800mm	33x37h	80	10.800	>90+
2000mm	33x37h	90	12.150	>90+
2200mm	33x37h	99	13.365	>90+
2400mm	33x37h	110	14.850	>90+

Customizations & Accessories



Available Lightcolors 2200K, 2700K, 3000K, 4000K & RGBW
 Dimmable Mi-Light, Casambi, Dali, Triac

RING OF LIGHT

CUSTOM SHAPES

From Sketch to Light Object

We transform your initial sketches into unique, handmade light objects. Whether it involves complex geometry or organic lines: with our innovative Ring of Light Ecora, shape and length know no bounds. We blend craftsmanship and technology to turn every design into a radiant centerpiece—fully customized and executed to perfection.



RING OF LIGHT

FABRIC IQ SERIES

DIMENSIONS



Product details

Diameter	Width	Height	LED power in Watt	Lumen Down	Lumen UP OPTIONAL	CRI
400 mm	50 mm	80 mm	15	2025	20%	>90+
500 mm	50 mm	80 mm	20	2700	20%	>90+
600 mm	50 mm	80 mm	26	3510	20%	>90+
700 mm	50 mm	80 mm	31	4185	20%	>90+
800 mm	50 mm	80 mm	35	4725	20%	>90+
900 mm	50 mm	80 mm	40	5400	20%	>90+
1000 mm	50 mm	80 mm	44	5940	20%	>90+
1200 mm	50 mm	80 mm	53	7155	20%	>90+
1400 mm	50 mm	80 mm	62	8370	20%	>90+
1500 mm	50 mm	80 mm	66	8910	20%	>90+
1600 mm	50 mm	80 mm	70	9450	20%	>90+
1800 mm	50 mm	80 mm	80	10800	20%	>90+
2000 mm	50 mm	80 mm	90	12150	20%	>90+
2200 mm	50 mm	80 mm	99	13365	20%	>90+
2400 mm	50 mm	80 mm	110	14850	20%	>90+

Optional direct/indirect means (Direct 80% / Indirect 20%)

Customizations & Accessories

Available Lightcolors

Dimmable

Direct/indirect


2200K, 2700K, 3000K, 4000K, RGBW, Dim to Warm (1800K-2700K)

Mi-Light, Casambi, Dali, Triac

Optional, Shown in table.

RING OF LIGHT


FABRIC IQ SERIES




RING OF LIGHT

ALUMINIUM ZERO SERIES

ZERO X



ZERO X



RING OF LIGHT

ALUMINIUM ZERO SERIES

Product details

Diameter	Profile	Light direction	LED power in Watt	Lumen	CRI
400mm	15X18h	Inward or Outward	12	1.332	>97+
500mm	15X18h	Inward or Outward	15	1.665	>97+
600mm	15X18h	Inward or Outward	18	1.998	>97+
700mm	15X18h	Inward or Outward	21	2.331	>97+
800mm	15X18h	Inward or Outward	24	2.664	>97+
900mm	15X18h	Inward or Outward	27	2.997	>97+
1000mm	15X18h	Inward or Outward	30	3.330	>97+
1200 mm	15X18h	Inward or Outward	36	3.996	>97+
1400mm	15X18h	Inward or Outward	42	4.662	>97+
1600mm	15X18h	Inward or Outward	48	5.328	>97+
1800mm	15X18h	Inward or Outward	54	5.967	>97+
2000mm	15X18h	Inward or Outward	58	6.394	>97+

Customizations & Accessories

Available Lightcolors

Dimmable

Direct/indirect

2200K, 2700K, 3000K, 4000K, RGBW, Dim to Warm (1800K-2700K)


Mi-Light, Casambi, Dali, Triac

Inward / Outward



NEXUS BEAM

ALUMINIUM NEXUS BEAM SERIES




Product details

Length	Width	Height	LED power in Watt TOTAL	Lumen Down	Lumen UP OPTIONAL	CRI
--------	-------	--------	----------------------------	------------	----------------------	-----


BEAM 33x30

1000 mm	33 mm	30 mm	14	1.868	-	>90+
2000 mm	33 mm	30 mm	28	3.735	-	>90+
3000 mm	33 mm	30 mm	42	5.603	-	>90+
4000 mm	33 mm	30 mm	55	7.470	-	>90+




BEAM 33x55

1000 mm	33 mm	55 mm	14 / 21	1.868	934	>90+
2000 mm	33 mm	55 mm	28 / 42	3.735	1835	>90+
3000 mm	33 mm	55 mm	42 / 62	5.603	2803	>90+
4000 mm	33 mm	55 mm	55 / 83	7.470	3773	>90+




BEAM 37x75

1000 mm	37 mm	75 mm	14	1.868	-	>90+
2000 mm	37 mm	75 mm	28	3.735	-	>90+
3000 mm	37 mm	75 mm	42	5.603	-	>90+
4000 mm	37 mm	75 mm	55	7.470	-	>90+




BEAM 53x53

1000 mm	53 mm	53 mm	14	1.868	-	>90+
2000 mm	53 mm	53 mm	28	3.735	-	>90+
3000 mm	53 mm	53 mm	42	5.603	-	>90+
4000 mm	53 mm	53 mm	55	7.470	-	>90+



BEAM 55x60

1000 mm	55 mm	60 mm	28 / 42	3.735	1.868	>90+
2000 mm	55 mm	60 mm	55 / 83	7.470	3.735	>90+
3000 mm	55 mm	60 mm	83 / 125	11.205	5.603	>90+
4000 mm	55 mm	60 mm	111 / 166	14.940	7.470	>90+
5000 mm	55 mm	60 mm	138 / 207	18.630	9.315	>90+



Customizations & Accessories

Available Lightcolors

Dimmable

Direct/indirect


2200K, 2700K, 3000K, 4000K, RGBW, Dim to Warm (1800K-2700K)

Mi-Light, Casambi, Dali, Triac

Optional, Shown in table.

NEXUS BEAM


ALUMINIUM NEXUS BEAM SERIES




NEXUS SQUARE

ALUMINIUM NEXUS SQUARE SERIES

NEXUS SQUARE (Profile 1)



NEXUS SQUARE (Profile 2)



NEXUS SQUARE

ALUMINIUM NEXUS SQUARE SERIES

Product details

Dimensions	Profile 1	Profile 2	LED power in Watt	Lumen	CRI
560x560	33x30h	53x53h	44	8.000	>90+
840x840	33x30h	53x53h	66	12.000	>90+
1120x1120	33x30h	53x53h	88	16.000	>90+
1400x1400	33x30h	53x53h	110	20.000	>90+
1700x1700	33x30h	53x53h	132	24.000	>90+

Customizations & Accessories

Available Lightcolors	2200K, 2700K,3000K,4000K, RGBW
Dimmable	Mi-Light, Casambi, Dali, Triac
Direct/indirect	Direct

Custom sizes are possible on request.





LA LINIA DISC

ALUMINIUM DISC SERIES

SURFACE



SUSPENDED



LA LINIA DISC

ALUMINIUM DISC SERIES

Product details (Direct Lighting)

Diameter	Height direct	LED power	Lumen	CRI
280 mm	60 mm	13 watt	2.080	>90+
380 mm	60 mm	22 watt	3.520	>90+
480 mm	60 mm	27 watt	4.320	>90+
600 mm	100 mm	43 watt	6.880	>90+
820 mm	100 mm	53 watt	8.480	>90+
1100 mm	100 mm	91 watt	14.560	>90+

Product details (Direct & Indirect Lighting)

Diameter	Height	LED power direct	LED Power indirect	Lumen direct	Lumen indirect	CRI
280 mm	60 mm	13 watt	11 watt	2.080	1.760	>90+
380 mm	60 mm	22 watt	12 watt	3.520	1.800	>90+
480 mm	60 mm	27 watt	14 watt	4.320	2.160	>90+
600 mm	100 mm	43 watt	22 watt	6.880	3.440	>90+
820 mm	100 mm	53 watt	27 watt	8.480	4.320	>90+
1100 mm	100 mm	91 watt	45 watt	14.560	7.270	>90+



Customizations & Accessories

Available Lightcolors	3000k, 4000k
Dimmable	Dali, Touch
Direct/indirect	Direct, Direct&Indirect




NEXUS ORGANIC


ALUMINIUM NEXUS ORGANIC SERIES



ORGA 1



ORGA 3



ORGA 4

NEXUS ORGANIC

ALUMINIUM NEXUS ORGANIC SERIES

Product details

Dimensions	Shape	Height	LED power in Watt	Lumen	CRI
800x450 60h	ORGA 1	60mm	64	8.640	>90+
1100x700 60h	ORGA 1	60mm	96	12.960	>90+
1600x950 60h	ORGA 1	60mm	128	17.280	>90+
800x500 60h	ORGA 3	60mm	56	7.560	>90+
1100x700 60h	ORGA 3	60mm	88	11.880	>90+
1600x1000 60h	ORGA 3	60mm	120	16.200	>90+
650x450 60h	ORGA4	60mm	48	6.480	>90+
1500mm	ORGA4	60mm	93	12.528	>90+
1600mm	ORGA4	60mm	112	15.120	>90+


Customizations & Accessories

Available Lightcolors	2200K, 2700K, 3000K, 4000K & RGBW
Dimmable	Mi-Light, Casambi, Dali, Triac
Direct/indirect	Direct (indirect optional)




Colour Swatches


La Linia **NEXUS SERIES**



RAL 9005 BLACK




RAL 9016 WHITE




GOLD




BRUSHED GOLD




COPPER




BRUSHED COPPER




SILVER




BRUSHED SILVER




PLATINA



WHITE BRASS



BRONZE




COPPER BRONZE

Other finishes on request

PROJECTS

La Linia **Projects** impression



MAGNETIC LAMPSHADES


FABRIC MAGNETIC LAMPSHADE SERIES

- Available 130 Different colors
- Round or Square shapes
- Magnetic for quick and very easy installation


La Linia Magnetic Ceiling Shade, easy to fit lampshades for LED ceiling panels

- Easy to fix
- Available for 600x600 and 625x625 ceilings
- Handmade in Holland
- 130 Different Colors
- Flame retardant on request
- Washable on request (for hotels and healthcare)
- Can be printed with logo or images
- Optional: High grade 3mm thickness acrylic diffuser with a light transmission of 78%

SQUARE SHAPE




For ceiling 600x600




For ceiling 625x625

ROUND SHAPE



For ceiling 600x600



For ceiling 625x625

MAGNETIC LAMPSHADES

FABRIC MAGNETIC LAMPSHADE SERIES

Product details (for ceilingtiles 625x625)

Height	Shape	Dimension in mm	Mounting	Suitable for ceiling tile
70 mm	Square	640x640	Magnets	625x625
120 mm	Square	640x640	Magnets	625x625
200 mm	Square	640x640	Magnets	625x625
100 mm	Round	920	Magnets	625x625
200 mm	Round	920	Magnets	625x625
300 mm	Round	920	Magnets	625x625

Product details (for ceilingtiles 600x600)

Height	Shape	Dimension in mm	Mounting	Suitable for ceiling tile
70 mm	Square	620x620	Magnets	600x600
120 mm	Square	620x620	Magnets	600x600
200 mm	Square	620x620	Magnets	600x600
100 mm	Round	900	Magnets	600x600
200 mm	Round	900	Magnets	600x600
300 mm	Round	900	Magnets	600x600


Customizations & Accessories

Diffusor optional (3mm Acrylic diffusor)
Custom sizes are possible on request.



DOME LAMPS

La Linia **DOME LAMPS SERIES**



DOME LAMPS

La Linia DOME LAMPS SERIES

Product details

Diameter	Height
40 CM	20 CM
50 CM	25 CM
60 CM	30 CM
70 CM	35 CM
80 CM	40 CM
90 CM	45 CM
100 CM	50 CM
120 CM	60 CM
140 CM	70 CM

Finishes Outside

RAL Color
Concrete
Rust
Copper
Cast Iron
Aged Copper
Aged Gold
Bronz


Finishes Inside

RAL Color
Gold leaf
Copper leaf
Silver leaf
Rust
Aged Copper
Aged Gold
Aged Silver
Bronze




TUBE LAMPS


La Linia **TUBE LAMP SERIES**



Ø 50 mm



Ø 100 mm



Ø 150 mm



TUBE LAMPS

La Linia **TUBE LAMP SERIES**

Product details

Diameter (mm)	Length (mm)	Suspension	LED power in Watt	Lumen	CRI
50	500	Horizontal or vertical	26	3.510	>90+
50	1000	Horizontal or vertical	53	7155	>90+
50	2000	Horizontal or vertical	106	14.310	>90+
100	500	Horizontal or vertical	26	3.510	>90+
100	1000	Horizontal or vertical	53	7155	>90+
100	2000	Horizontal or vertical	106	14.310	>90+
150	500	Horizontal or vertical	26	3.510	>90+
150	1000	Horizontal or vertical	53	7155	>90+
150	2000	Horizontal or vertical	106	14.310	>90+

Customizations & Accessories

Available Lightcolors	2200K, 2700K, 3000K, 4000K & RGBW + DIGITAL PIXEL LED
Dimmable	Mi-Light, Casambi, Dali, Triac
Suspension	Horizontal or Vertical



CUSTOM MADE


La Linia CUSTOM MADE



CUSTOM MADE

CUSTOM MADE

La Linia CUSTOM MADE





Contact Information

La Linia Lighting

Binnenhaven 20
7547BH Enschede
The Netherlands

T: +31(0)53-4300551

E: info@lalinia.nl

www.lalinia.nl